



UNOX S.p.A.

Revision n. 1
Dated 16/01/2023
Printed on 16/01/2023
Page n. 1/13

DET & RINSE ULTRAPLUS

Safety Data Sheet

According to Annex II to REACH - Regulation 2020/878 and to Annex II to UK REACH

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Code: DB1075A0, DB1076A0, DB1077A0
Product name: DET & RINSE ULTRAPLUS
UFI: 0800-FOSH-V008-NU18

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use: Oven cleaner (EUPCS: PC-CLN-10.4).

Identified Uses	Industrial	Professional	Consumer
Transfer to a container through a dedicated line (bottle/machine)	-	ERC: 8a. PROC: 8b. PC: 35. LCS: PW.	-

Uses Advised Against

Any use other than those identified.

1.3. Details of the supplier of the safety data sheet

Name: Unox S.p.A.
Full address: Via Majorana, 22
District and Country: 35010 Cadoneghe (Padova)
Italia
tel. +39 049 86 57 511
fax +39 049 86 57 555

e-mail address of the competent person responsible for the Safety Data Sheet

det.rinse@unox.com

1.4. Emergency telephone number

For urgent inquiries refer to
3E
Tel. (+)1-760-476-3961
Tel. (+)0-800-680-0425 (UK)
Access code: 334577
24h/24h

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2020/878. Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication:

Substance or mixture corrosive to metals, category 1	H290	May be corrosive to metals.
Skin corrosion, category 1A	H314	Causes severe skin burns and eye damage.
Serious eye damage, category 1	H318	Causes serious eye damage.

2.2. Label elements



UNOX S.p.A.

Revision n. 1
Dated 16/01/2023
Printed on 16/01/2023
Page n. 2/13

DET & RINSE ULTRAPLUS

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:



Signal words: Danger

Hazard statements:

H290 May be corrosive to metals.
H314 Causes severe skin burns and eye damage.

Precautionary statements:

P280 Wear protective gloves / protective clothing / eye protection / face protection.
P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER.
P390 Absorb spillage to prevent material damage.
P501 Dispose of contents / container in accordance with local regulations.

Contains: SODIUM HYDROXIDE

Ingredients according to Regulation (EC) No. 648/2004

Less than 5% anionic surfactants, amphoteric surfactants, polycarboxylates, phosphonates

2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage \geq than 0,1%.The product does not contain substances with endocrine disrupting properties in concentration \geq 0.1%.

SECTION 3. Composition/information on ingredients

3.2. Mixtures

Contains:

Identification	x = Conc. %	Classification (EC) 1272/2008 (CLP)
SODIUM HYDROXIDE		
CAS 1310-73-2	$15 \leq x < 25$	Met. Corr. 1 H290, Skin Corr. 1A H314, Eye Dam. 1 H318
EC 215-185-5		Skin Corr. 1B H314: $\geq 2\%$, Skin Irrit. 2 H315: $\geq 0,5\%$, Eye Dam. 1 H318: $\geq 2\%$, Eye Irrit. 2 H319: $\geq 0,5\%$
INDEX 011-002-00-6		
REACH Reg. 01-2119457892-27-XXXX		

The full wording of hazard (H) phrases is given in section 16 of the sheet.

	UNOX S.p.A.	Revision n. 1 Dated 16/01/2023 Printed on 16/01/2023 Page n. 3/13
	DET & RINSE ULTRAPLUS	

SECTION 4. First aid measures

4.1. Description of first aid measures

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. If problem persists, seek medical advice.

SKIN: Remove contaminated clothing. Wash immediately with plenty of water. If irritation persists, get medical advice/attention. Wash contaminated clothing before using it again.

INHALATION: Remove to open air. In the event of breathing difficulties, get medical advice/attention immediately.

INGESTION: Get medical advice/attention. Induce vomiting only if indicated by the doctor. Never give anything by mouth to an unconscious person, unless authorised by a doctor.

4.2. Most important symptoms and effects, both acute and delayed

This product is corrosive and causes serious burns and vesicles on the skin, which can arise even after exposure. Burns are very stinging and painful. Upon contact with eyes, it may cause serious harm, such as cornea opacity, iris lesions, irreversible eye coloration. The vapors and/or powders are caustic for the respiratory system and may cause pulmonary edema, whose symptoms sometimes arise only after some hours. Exposure symptoms may include: sting, cough, asthma, laryngitis, respiratory disorders, headache, nausea and sickness. If swallowed, it may cause mouth, throat and oesophagus burns, sickness, diarrhoea, edema, larynx swelling and, consequently, asphyxia. Perforation of the gastro-intestinal tract is also possible.

4.3. Indication of any immediate medical attention and special treatment needed

Keep the safety data sheet of the preparation or, failing that, the label available for the medical personnel.

SECTION 5. Firefighting measures

5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.

UNSUITABLE EXTINGUISHING EQUIPMENT

None in particular.

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE

Do not breathe combustion products.

5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Evacuate area. Send away individuals who are not suitably equipped. Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. Use breathing equipment if

	UNOX S.p.A.	Revision n. 1 Dated 16/01/2023 Printed on 16/01/2023 Page n. 4/13
	DET & RINSE ULTRAPLUS	

powders are released into the air.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water. Avoid the formation of powder and dispersion of the product in the air.

6.3. Methods and material for containment and cleaning up

Collect the leaked product and place it in containers for recovery or disposal. Make sure the leakage site is well aired. It may be advisable to wash with water any surfaces contaminated with traces of dust, without contaminating waste water.

6.4. Reference to other sections

Notify the competent authorities if the product has reached waterways or if it has contaminated the ground or vegetation.

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat. Use only with the automatic system supplied with UNOX ovens. Use frequency: up to 5 days/week. Duration of use: up to 10 minutes/day.

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details. The product is alkaline and may generate hydrogen gas if it comes in contact with metals such as aluminium, zinc and tin.

The hydrogen gas developed may cause combustion when the product is transferred to a metal container made from one of the metals indicated above, or which has been in contact with the same for an extended period of time.

If the hydrogen gas develops in a closed space, there may be a risk of explosion.

Store at a temperature between 5 ° C and 40 ° C.

Storage class TRGS 510 (Germany): 8A

7.3. Specific end use(s)

Follow the instructions on the product labeled or on the information sheet. Refer to the safe use information if enclosed with this safety data sheet.

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Regulatory References:

BGR	България	НАРЕДБА № 13 ОТ 30 ДЕКЕМВРИ 2003 Г. ЗА ЗАЩИТА НА РАБОТЕЩИТЕ ОТ РИСКОВЕ, СВЪРЗАНИ С ЕКСПОЗИЦИЯ НА ХИМИЧНИ АГЕНТИ ПРИ РАБОТА (изм. ДВ. бр.5 от 17 Януари 2020г.)
ESP	España	Límites de exposición profesional para agentes químicos en España 2021
FRA	France	Valeurs limites d'exposition professionnelle aux agents chimiques en France. ED 984 - INRS
GRC	Ελλάδα	Π.Δ. 26/2020 (ΦΕΚ 50/Α` 6.3.2020) Εναρμόνιση της ελληνικής νομοθεσίας προς τις διατάξεις των οδηγιών 2017/2398/ΕΕ, 2019/130/ΕΕ και 2019/983/ΕΕ «για την τροποποίηση της οδηγίας 2004/37/ΕΚ` σχετικά με την προστασία των εργαζομένων από τους κινδύνους που συνδέονται με την έκθεση σε καρκινογόνους ή μεταλλαζιγόνους παράγοντες κατά την εργασία`»
HRV	Hrvatska	Pravilnik o izmjenama i dopunama Pravilnika o zaštiti radnika od izloženosti opasnim kemikalijama na radu, graničnim vrijednostima izloženosti i biološkim graničnim vrijednostima (NN 1/2021)

	UNOX S.p.A.	Revision n. 1 Dated 16/01/2023 Printed on 16/01/2023 Page n. 5/13
	DET & RINSE ULTRAPLUS	

GBR United Kingdom EH40/2005 Workplace exposure limits (Fourth Edition 2020)
TLV-ACGIH ACGIH 2021

SODIUM HYDROXIDE Threshold Limit Value

Type	Country	TWA/8h		STEL/15min		Remarks / Observations
		mg/m3	ppm	mg/m3	ppm	
TLV	BGR	2				
VLA	ESP	2				
VLEP	FRA	2				
TLV	GRC	2		2		
GVI/KGVI	HRV			2		
WEL	GBR			2		
TLV-ACGIH				2 (C)		

Health - Derived no-effect level - DNEL / DMEL

Route of exposure	Effects on consumers				Effects on workers			
	Acute local	Acute systemic	Chronic local	Chronic systemic	Acute local	Acute systemic	Chronic local	Chronic systemic
Inhalation			1 mg/m3	VND			1 mg/m3	VND

Legend:
(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction.
VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified ; LOW = low hazard ; MED = medium hazard ; HIGH = high hazard.

8.2. Exposure controls

The use of appropriate technical measures should always take priority over personal protection equipment. Provide a good level of general ventilation in the workplace (3 to 5 air changes per hour). The individual protection devices must bear the CE marking that certifies their compliance with the regulations in force.

Provide an emergency shower with face and eye wash station.

HAND PROTECTION

Protect your hands with category III work gloves (ref. Standard EN 374). For the final choice of material for work gloves, the following must be considered: compatibility, degradation, breakage time and permeation. Gloves have a wear time that depends on the duration and mode of use. Suitable gloves (protection factor 6, permeation time > 480 minutes): material (thickness, mm): nitril rubber (0.35 mm), polychloroprene (0,5 mm), polyvinylchloride (0,5 mm).

SKIN PROTECTION

Wear category III professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Wear a hood visor or protective visor combined with airtight goggles (see standard EN 166).

RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, a mask with a type A filter combined with a type P2 filter should be worn (see standard EN 14387). Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

	UNOX S.p.A.	Revision n. 1 Dated 16/01/2023 Printed on 16/01/2023 Page n. 6/13
	DET & RINSE ULTRAPLUS	

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties	Value	Information
Appearance	liquid	
Colour	straw yellow	
Odour	characteristic	Method: organoleptic
Odour threshold	not applicable	Reason for missing data: Not applicable to mixtures.
Melting point / freezing point	not determined	Reason for missing data: no test available
Initial boiling point	> 100 °C	
Flammability	not applicable (liquid product).	
Lower explosive limit	not applicable	Reason for missing data: The product is not explosive.
Upper explosive limit	not applicable	Reason for missing data: The product is not explosive.
Flash point	> 100°C	
Auto-ignition temperature	not available	
Decomposition temperature	not available	
pH	14	Temperature: 20 °C
Kinematic viscosity	not available	
Solubility	soluble in water	
Partition coefficient: n-octanol/water	not applicable	Reason for missing data: Not applicable to mixtures.
Vapour pressure	not available	
Density and/or relative density	1,2-1,3	
Relative vapour density	not available	
Particle characteristics	not applicable	

9.2. Other information

No other information available.

9.2.1. Information with regard to physical hazard classes

Information not available

9.2.2. Other safety characteristics

Explosive properties	not applicable. None of the substances contained has functional groups associated with explosive properties.
Oxidising properties	not applicable. None of the contained substances has functional groups associated with oxidizing properties.

SECTION 10. Stability and reactivity

10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

10.2. Chemical stability

	UNOX S.p.A.	Revision n. 1 Dated 16/01/2023 Printed on 16/01/2023 Page n. 7/13
	DET & RINSE ULTRAPLUS	

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

SODIUM HYDROXIDE

Reacts violently with: strong acids. Develops hydrogen on contact with: aluminium alloys, copper alloys, zinc alloys, light metals. Reacts violently with: peroxides.

10.4. Conditions to avoid

Avoid contact with: strong acids, oxidising agents, light metals, copper alloys, zinc alloys, aluminium alloys.

10.5. Incompatible materials

Corrodes: aluminium, aluminium alloys, copper, copper alloys, zinc, zinc alloys.

Compatible materials: polyethylene, polypropylene, PVC.

Incompatible materials: aluminium, aluminium alloys, copper, copper alloys, zinc, zinc alloys.

10.6. Hazardous decomposition products

If involved in a fire: carbon oxides, nitrogen oxides, sulfur oxides, potassium oxides, sodium oxides.

SECTION 11. Toxicological information

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification. It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Dermal.

Inhalation (in case of aerosol formation only - use not recommended).

Delayed and immediate effects as well as chronic effects from short and long-term exposure

This product is corrosive and causes serious burns and vesicles on the skin, which can arise even after exposure. Burns are very stinging and painful. Upon contact with eyes, it may cause serious harm, such as cornea opacity, iris lesions, irreversible eye coloration. The vapors and/or powders are caustic for the respiratory system and may cause pulmonary edema, whose symptoms sometimes arise only after some hours. Exposure symptoms may include: sting, cough, asthma, laryngitis, respiratory disorders, headache, nausea and sickness. If swallowed, it may cause mouth, throat and oesophagus burns, sickness, diarrhoea, edema, larynx swelling and, consequently, asphyxia. Perforation of the gastro-intestinal tract is also possible.

Interactive effects

Interactive effects are not known.

ACUTE TOXICITY

ATE (Inhalation) of the mixture: Not classified (no significant component)
ATE (Oral) of the mixture: Not classified (no significant component)

	UNOX S.p.A.	Revision n. 1 Dated 16/01/2023 Printed on 16/01/2023 Page n. 8/13
	DET & RINSE ULTRAPLUS	

ATE (Dermal) of the mixture: Not classified (no significant component)

SKIN CORROSION / IRRITATION

Corrosive for the skin. Classification according to the experimental pH value.

SODIUM HYDROXIDE

Corrosive (in vitro study, OECD method 435).

SERIOUS EYE DAMAGE / IRRITATION

Causes serious eye damage

SODIUM HYDROXIDE

Corrosive (Morgan et al., 1987; Reer et al., 1976, Wenworth et al., 1993).

RESPIRATORY OR SKIN SENSITISATION

Does not meet the classification criteria for this hazard class

Respiratory sensitization

Information not available

Skin sensitization

SODIUM HYDROXIDE

Non-sensitizing (species: man, patch test. Exposure time: 24 hours, visual evaluation).

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

SODIUM HYDROXIDE

During normal use: limited absorption. Systemic effects not foreseen. (EU RAR, 2007; Section 4.1.2.6, page 72).

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

SODIUM HYDROXIDE

During normal use: limited absorption. Systemic effects not foreseen.

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

SODIUM HYDROXIDE

During normal use: limited absorption. Systemic effects not foreseen.

Adverse effects on sexual function and fertility

SODIUM HYDROXIDE

During normal use: limited absorption. Systemic effects not foreseen. (EU RAR, 2007; Section 4.1.2.8, page 73).

Adverse effects on development of the offspring

Information not available

Effects on or via lactation

Information not available

STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class

Target organs

Information not available

	UNOX S.p.A.	Revision n. 1 Dated 16/01/2023 Printed on 16/01/2023 Page n. 9/13
	DET & RINSE ULTRAPLUS	

Route of exposure
Information not available

STOT - REPEATED EXPOSURE
Does not meet the classification criteria for this hazard class

Target organs
Information not available

Route of exposure
Information not available

ASPIRATION HAZARD
Does not meet the classification criteria for this hazard class

11.2. Information on other hazards

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

SECTION 12. Ecological information

Use this product according to good working practices. Avoid littering. Inform the competent authorities, should the product reach waterways or contaminate soil or vegetation.

12.1. Toxicity

SODIUM HYDROXIDE	
LC50 - for Fish	35 mg/l/96h Pesce
EC50 - for Crustacea	40,4 mg/l/48h Ceriodaphnia dubia

12.2. Persistence and degradability

SODIUM HYDROXIDE
Completely soluble. It is not persistent (EU RAR 2007; Section 3.3.1.2, page 34).
Biodegradability: not applicable (inorganic substance).

12.3. Bioaccumulative potential

SODIUM HYDROXIDE
Non -Bioaccumulable (EU RAR 2007; Section 3.3.1.2, page 34).

12.4. Mobility in soil

The product is completely soluble in water. High mobility in soil is expected.

12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage \geq than 0,1%.

12.6. Endocrine disrupting properties

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.

12.7. Other adverse effects

No other significant adverse effects for the environment are known.

	UNOX S.p.A.	Revision n. 1 Dated 16/01/2023 Printed on 16/01/2023 Page n. 10/13
	DET & RINSE ULTRAPLUS	

SECTION 13. Disposal considerations

13.1. Waste treatment methods

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

Waste transportation may be subject to ADR restrictions.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

HP codes (intact product): HP8 - Corrosive

SECTION 14. Transport information

14.1. UN number or ID number

ADR / RID, IMDG, IATA: 1824

14.2. UN proper shipping name

ADR / RID:	SODIUM HYDROXIDE SOLUTION
IMDG:	SODIUM HYDROXIDE SOLUTION
IATA:	SODIUM HYDROXIDE SOLUTION

14.3. Transport hazard class(es)

ADR / RID:	Class: 8	Label: 8
IMDG:	Class: 8	Label: 8
IATA:	Class: 8	Label: 8



14.4. Packing group

ADR / RID, IMDG, IATA: II

14.5. Environmental hazards

ADR / RID:	NO
IMDG:	NO
IATA:	NO

14.6. Special precautions for user

ADR / RID:	HIN - Kemler: 80	Limited Quantities: 1 L	Tunnel restriction code: (E)
	Special provision: -		
IMDG:	EMS: F-A, S-B	Limited Quantities: 1 L	

	UNOX S.p.A.		Revision n. 1 Dated 16/01/2023 Printed on 16/01/2023 Page n. 11/13
	DET & RINSE ULTRAPLUS		
IATA:	Cargo:	Maximum quantity: 30 L	Packaging instructions: 855
	Pass.:	Maximum quantity: 1 L	Packaging instructions: 851
	Special provision:	A3, A803	
14.7. Maritime transport in bulk according to IMO instruments			
Information not relevant			
SECTION 15. Regulatory information			
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture			
Seveso Category - Directive 2012/18/EU: None			
<u>Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006</u>			
<u>Product Point</u>		3	
<u>Contained substance</u>			
Point		75	
<u>Regulation (EU) 2019/1148 - on the marketing and use of explosives precursors</u>			
not applicable			
<u>Substances in Candidate List (Art. 59 REACH)</u>			
On the basis of available data, the product does not contain any SVHC in percentage \geq than 0,1%.			
<u>Substances subject to authorisation (Annex XIV REACH)</u>			
None			
<u>Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012:</u>			
None			
<u>Substances subject to the Rotterdam Convention:</u>			
None			
<u>Substances subject to the Stockholm Convention:</u>			
None			
<u>Healthcare controls</u>			
Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.			

	UNOX S.p.A.		Revision n. 1 Dated 16/01/2023 Printed on 16/01/2023 Page n. 12/13
	DET & RINSE ULTRAPLUS		
Regulation (EC) No. 648/2004			
Ingredients according to Regulation (EC) No. 648/2004			
The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.			
<u>German regulation on the classification of substances hazardous to water (AwSV, vom 18. April 2017)</u>			
WGK 1: Low hazard to waters			
15.2. Chemical safety assessment			
A chemical safety assessment has been performed for the following contained substances			
SODIUM HYDROXIDE			
This safety data sheet contains one or more Exposure Scenarios in an integrated form. Contents have been included in sections 1.2, 8, 9, 12, 15 and 16 of this safety data sheet.			
SECTION 16. Other information			
Text of hazard (H) indications mentioned in section 2-3 of the sheet:			
Met. Corr. 1		Substance or mixture corrosive to metals, category 1	
Skin Corr. 1A		Skin corrosion, category 1A	
Eye Dam. 1		Serious eye damage, category 1	
H290		May be corrosive to metals.	
H314		Causes severe skin burns and eye damage.	
H318		Causes serious eye damage.	
Use descriptor system:			
ERC	8a	Widespread use of non- reactive processing aid (no inclusion into or onto article, indoor)	
LCS	PW	Widespread use by professional workers	
PC	35	Washing and cleaning products	
PROC	8b	Transfer of substance or mixture (charging and discharging) at dedicated facilities	
LEGEND:			
- ADR: European Agreement concerning the carriage of Dangerous goods by Road			
- ATE: Acute Toxicity Estimate			
- CAS: Chemical Abstract Service Number			
- CE50: Effective concentration (required to induce a 50% effect)			
- CE: Identifier in ESIS (European archive of existing substances)			
- CLP: Regulation (EC) 1272/2008			
- DNEL: Derived No Effect Level			
- EmS: Emergency Schedule			
- GHS: Globally Harmonized System of classification and labeling of chemicals			
- IATA DGR: International Air Transport Association Dangerous Goods Regulation			
- IC50: Immobilization Concentration 50%			
- IMDG: International Maritime Code for dangerous goods			
- IMO: International Maritime Organization			
- INDEX: Identifier in Annex VI of CLP			
- LC50: Lethal Concentration 50%			



UNOX S.p.A.

Revision n. 1
Dated 16/01/2023
Printed on 16/01/2023
Page n. 13/13

DET & RINSE ULTRAPLUS

- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)
4. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
12. Regulation (EU) 2016/1179 (IX Atp. CLP)
13. Regulation (EU) 2017/776 (X Atp. CLP)
14. Regulation (EU) 2018/669 (XI Atp. CLP)
15. Regulation (EU) 2019/521 (XII Atp. CLP)
16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
17. Regulation (EU) 2019/1148
18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)
19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP)
20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)
21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)

- The Merck Index. - 10th Edition
- Handling Chemical Safety
- INRS - Fiche Toxicologique (toxicological sheet)
- Patty - Industrial Hygiene and Toxicology
- N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals - Ministry of Health and ISS (Istituto Superiore di Sanità) - Italy

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.

Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.

Changes to previous review:

The following sections were modified:

01 / 02 / 03 / 04 / 05 / 06 / 07 / 08 / 09 / 10 / 11 / 12 / 13 / 14 / 15 / 16.