

| NO  | CODE         | DESCRIPTION                                                     | Q'TY |
|-----|--------------|-----------------------------------------------------------------|------|
| 1   | S24AC20A0009 | CR Saladette 2 doors - FOAMED ASS.BODY-ST2 (Thickness 0.6mm)    | 1    |
| 2   | S24AC22A0003 | CR Saladette - BOTTOM DOOR HINGE-ST2                            | 2    |
| 3   | P04AC20A0004 | CR Saladette - DRAIN WATER PIPE CAP                             | 1    |
| 4   | S24AC20A0005 | CR Saladette 2 doors - UPPER BOARD FOR HINGES-ST2               | 1    |
| 5   | S24AC22A0006 | CR Saladette - UPPER DOOR PIVO T-ST2                            | 2    |
| 6   | N04AC22A0010 | CR Saladette - PLASTIC DOOR INSERT FOR HINGE PIVOT - (S12)      | 2    |
| 7A  | S24AC20A0010 | CR 90 Saladette (DOOR) - CENTRAL MULLION- (ST2-S12)             | 1    |
| 7B  | S24AC20A0011 | CR 90 Saladette (DRAWER) - CENTRAL MULLION - (ST2-S12)          | 1    |
| 8   | S24AC20A0003 | CR Saladette - BOTTOM PLATE FOR CENTRAL MULLION-ST2             | 1    |
| 9   | R04AC22A0002 | CR Saladette - DOOR GASKET (Dim.398x490mm) - (S12)              | 2    |
| 10A | S24AC22A0007 | CR Saladette - LEFT DOOR GR.(0.6 mm-Inc.GASKET+SELF CLOSING)ST2 | 1    |
| 10B | S24AC22A0008 | CR Saladette - RIGHT DOOR GR(0.6 mm-Inc.GASKET+SELF CLOSING)ST2 | 1    |
| 11  | Z04AC22A0011 | CR Saladette Series - SELF CLOSING SPRING-(S12)                 | 2    |
| 12A | E25EUB315300 | POWER CORD 3x1,5 mmq - EU PLUG - BLACK COLOR 3 Mt               | 1    |
| 12B | E25UKB315300 | POWER CORD 3x1,5 mmq - UK PLUG - BLACK COLOR 3 Mt               | 1    |
| 12C | E25AUB315300 | POWER CORD 3x1,5 mmq - AUSTRALIAN PLUG - BLACK COLOR 3.0 Mt.    | 1    |
| 12D | E25ISB315300 | POWER CORD 3x1.5 mmq - ISRAEL PLUG - BLACK COLOR 3.0 Mt.        | 1    |
| 13  | Z04AC23A0001 | CR Saladette 2 doors-BOTTOM BRACKET ASSEMBLY                    | 1    |
| 14  | Z04AC23A0002 | CR Saladette 2 doors-SLIDING ENGINE PLATE                       | 1    |
| 15  | KITFT4AC2B00 | CR Saladette - FEET KIT (N°2 Feet - M8*45+N.4 Rollers - S12     | 1    |
| 16  | C04AC26A0002 | CR Saladette 2 doors-CONNECTING PIPE (WITH Steel Insulation)    | 1    |
| 17  | P01AE63A0004 | RC 600/RC 400/Saladette CR Ser ies/BBC 386 - WATER TRAY-(S12)   | 1    |
| 18  | C01AE66A0001 | 400-600 ABS Ser./CR Salad./CR- CN 7/14 Ser-DRIER FILTER (S12)   | 1    |
| 19  | E27B6F1Z0001 | HVM12AA COMP.ZEL/ACC R600a-220 -240V 50Hz-1/5 HP RSIR           | 1    |
| 20  | E17A1A050500 | M4Q045-BD01-01 EBM FAN:230VAC, 50/60Hz,-30/+40°C, 0,9Kg         | 1    |
| 21  | E192A1723800 | FAN DIAGONAL GUARD GRILLE FOR BLADE D.172mm D.INT=188,W=38mm    | 1    |
| 22  | E181A1723401 | EBMPAPTS FAN BLADE D.172mm-34*, 230 M3/h                        | 1    |
| 23  | C04AC28A0001 | CR Saladette 2 doors-CONDENSER                                  | 1    |
| 24  | Z04AC28A0004 | CR Saladette 2 doors-LEFT CONDENSER AIR CONVEYOUR               | 1    |

| NO  | CODE         | DESCRIPTION                                                   | Q'TY |
|-----|--------------|---------------------------------------------------------------|------|
| 25  | Z04AC28A0003 | CR Saladette 2 doors-RIGHT CONDENSER AIR CONVEYOUR            | 1    |
| 26  | P04AC28A0002 | CR Saladette 2 doors-CONDENSER FILTER (Dim.235x220mm) - S12   | 1    |
| 27  | KITGD4AC2A00 | SALADETTE CR SER."STANDARD" GUIDE SET"C"FORM(1 L.+1 R.)       | 2    |
| 28  | S24AC29A0002 | CR Saladette- LEFT (Front and Back) RAIL GUIDE SUPPORT-(S12)  | 2    |
| 29  | S24AC29A0005 | CR Saladette - BACK CENTRAL/LEFT RAIL GUIDE SUPPORT-ST2       | 1    |
| 30  | S24AC29A0004 | CR Saladette - BACK CENTRAL/RIGHT RAIL GUIDE SUPPORT-ST2      | 1    |
| 31  | S24AC29A0003 | CR Saladette-RIGHT (Front and Back) RAIL GUIDE SUPPORT-(S12)  | 2    |
| 32A | S14AC29A0001 | CR Saladette - GRIGLIA GN1/1 m.570x325mm - S12)               | 2    |
| 32B | S14AC29A0006 | CR Saladette - GN1/1 BOTTOM SHELF                             | 2    |
| 33  | E21010150001 | NTC PROBE - CABLE 1500 mm                                     | 1    |
| 34  | S24AC20A0008 | CR Saladette - PLATE FOR INTERNAL PROBE-ST2                   | 1    |
| 35  | P04AC20A0009 | CR Saladette - INTERNAL AIR CONVEYOUR                         | 1    |
| 36  | E17A1A010100 | SA1238A2-HBL SEADA FAN: 220/24 0V,50/60Hz, CABLE LENGHT 300mm | 1    |
| 37  | E192A1200300 | FAN DIAGONAL GUARD GRILLE FOR BLADE D.120mm D.INT=100, W=3mm  | 1    |
| 38  | S24AC20A0007 | CR Saladette - INTERNAL FAN SUPPORT-ST2                       | 1    |
| 39  | P04AC21A0003 | CR Saladette/QR 7/QN 7 - JUNCTION BOX ASSEMBLY                | 1    |
| 40  | S24AC21A0001 | CR Saladette 2 doors-FRONT PANEL (INCLUDED N.2 HINGES)-ST2    | 1    |
| 41  | E2301GR00001 | SR-13 MAIN SWITCH: TYPE A2HT1B KGE3214GR                      | 1    |
| 42  | E20A111C4D00 | XR02CX-5ROC1 DIXELL BLULINE THERM.-LICCGXB5AP (RWX)           | 1    |
| 43  | Z04AC21A0002 | CR Saladette - LOCK + N.2 KEYS                                | 1    |
| 60  | KITSP4AC2A00 | CR 90/CR 93/CR 92/CR 45 - SUPPORT KIT FOR SLIDING TOP-(S12)   | 1    |
| 61  | S24AC22A0004 | CR 90-BACK FIX OPEN TOP-ST2                                   | 1    |
| 62  | S24AC22A0005 | CR 90-FRONT MOVABLE OPEN TOP (N .2 ROLLERS+N.2 STOPPER)-ST2   | 1    |
| 63  | P04AC20A0006 | CR 90/CRQ 90/CRG 90/CRV 90 - FRONTAL CUTTING BOARD            | 1    |
| 64  | KITSR4AC2A00 | CR 90/CRQ 90/CRG 90/CRV 90 - SPACER KIT-ST1                   | 1    |
| 65  | S24AC30A0004 | CRX 90-SOLID TOP-ST2 (Thickness 0.6 mm)                       | 1    |
| 66  | S24AC30A0002 | CRX 90/CRA 90/CRD 92/CRD 94 - BACKGROUND SUPPORT FOR TOP-ST2  | 2    |
| 67  | S24AC40A0004 | CRP 90-BODY COVER PANS-ST2                                    | 1    |
| 68  | S24AC40A0014 | CRP 90/CRP 93 - INTERNAL LEFT/RIGHT BAR FOR PANS SUPPORT-ST2  | 2    |

| NO  | CODE         | DESCRIPTION                                                   | Q'TY |
|-----|--------------|---------------------------------------------------------------|------|
| 69  | S24AC40A0015 | CRP 90 - INTERNAL BACK BAR FOR PANS SUPPORT-ST2               | 1    |
| 70  | KITSR4AC4A00 | CRP 90 - SPACER KIT - (S12)                                   | 1    |
| 71  | G14AC40A0002 | CRP 90 - GRANITE TOP                                          | 1    |
| 72  | S24AC40A0003 | CRP 90-BOTTOM S/S SIDE FOR GRANITE TOP-ST2                    | 1    |
| 73  | KITSP4AC5A00 | CRS 90/CRS 93 - SUPPORT KIT FOR TOP LID-ST2                   | 1    |
| 74  | S24AC50A0004 | CRS 90-UPPER TOP LID-ST2                                      | 1    |
| 75  | S24AC50A0005 | CRS 90-SOLID TOP-ST2 (Thickness 0.6 mm)                       | 1    |
| 76  | S24AC50A0002 | CRS 90/CRS 93 - BACKGROUND SUP PORT FOR TOP-ST2               | 2    |
| 77  | KITSR4AC5A00 | CRS 90 - SPACER KIT - (S12)                                   | 1    |
| 78  | KITGS4AC6A00 | CRQ 90-GLASS KIT (Square Form)                                | 1    |
| 79  | KITGS4AC7A00 | CRG 90-GLASS KIT (Curve Form)                                 | 1    |
| 80  | KITGS4AC8A00 | CRV 90-GLASS KIT (Small Curve Form)                           | 1    |
| 81  | KITSW4AC6A00 | CRQ 90/93A - SCREW AND SUPPORT KIT FOR FIX GLASSES - (S12)    | 1    |
| 82A | G14AC90A0003 | CRZ 90-GRANITE SOLID TOP                                      | 1    |
| 82B | S24AC90A0004 | CRZ 90A - INSULATING LAYER FOR GRANITE TOP - (S12)            | 1    |
| 83  | KITGD4AD0A00 | CRD 92/94/96 - DRAWER GUIDE SET "COMPEX" (LEFT + RIGHT)-S12   | 1    |
| 84  | S24AD15A0001 | CRD 92/94/96 - RIGHT Bottom/Up per DRAWER SET (Drawer+Gasket) | 1    |
| 85  | S54AD15A0007 | CRD 92/94 - LATERAL DRAWER GUIDER ASS.(Thick. 0.6 mm)-ST5     | 1    |
| 86  | R04AD15A0005 | CRD 94 / CRD 92 - DRAWER GASKET                               | 1    |
| 87  | KITGD4AD0B00 | CRD 92 - SHELF GUIDE SET "For LEFT SIDE" (LEFT + RIGHT)-S12   | 1    |
| 88  | S24AD19A0002 | CRD 92/94 - LEFT (Front and Back) RAIL GUIDE SUPPORT (S12)    | 2    |
| 89  | S24AD19A0003 | CRD 92/94 - RIGHT (Front and Back) RAIL GUIDE SUPPORT (S12)   | 2    |
| 90  | S24AD00A0007 | CRD 92-INTERNAL FAN SUPPORT-ST 2                              | 1    |
| 91  | S24AD19A0007 | CRD 94/96 - FRONT CENTRAL/LEFT DRAWER RAIL GUIDE SUPPORT-ST2  | 1    |
| 92  | S24AD19A0006 | CRD 92/94/96-FRONT CENTRAL/RIGHT DRAWER RAIL GUIDE SUPP.-ST2  | 1    |
| 93  | S24AD19A0005 | CRD 92/94/96 - BACK CENTRAL/LEFT RAIL GUIDE SUPPORT-(S12)     | 1    |
| 94  | S24AD19A0004 | CRD 92/94/96 - BACK CENTRAL/RIGHT RAIL GUIDE SUPPORT-(S12)    | 1    |
| 95  | S24AD15A0002 | CRD 94/96 - LEFT Bottom/Upper DRAWER SET (Drawer+Gasket)      | 1    |
| 96  | S24AD10A0007 | CRD 94-INTERNAL FAN SUPPORT-ST 2                              | 1    |

| NO  | CODE         | DESCRIPTION                                                  | Q'TY |
|-----|--------------|--------------------------------------------------------------|------|
| 97  | S24AD20A0003 | CRA 90-SOLID TOP WITH SPLASH BACK-ST2                        | 1    |
| 98  | S24AD32A0002 | CR 92/CR 92A - BACK FIX OPEN TOP-ST2                         | 1    |
| 99  | S24AD32A0001 | CR 92 - FRONT MOVABLE OPEN TOP (N.2 ROLLERS+N.2 STOPPER)-ST2 | 1    |
| 100 | P04AD30A0005 | CR 92/CR 92A - FRONTAL CUTTING BOARD                         | 1    |
| 101 | KITSR4AD3A00 | CR 92 - SPACER KIT - (S12)                                   | 1    |
| 102 | S24AD31A0001 | CR 92/CR 92A - FRONT PANEL (Included N.2 HINGES)-ST2         | 1    |
| 103 | S24AD30A0002 | CR 92/CR 92A - CENTRAL MULLION -ST2 (Thickness = 0.6 mm)     | 1    |
| 104 | S24AD30A0004 | CR 92/CR 92A - UPPER PLATE FOR CENTRAL MULLION-ST2           | 1    |
| 105 | S24AD30A0006 | CR 92/CR 92A - INTERNAL FAN SU PPORT-ST2                     | 1    |
| 106 | S24AD39A0002 | CR 92/CR 92A-FRONT/LEFT RAIL GUIDE SUPPORT (On MULLION)-ST2  | 1    |
| 107 | S24AD39A0001 | CR 92/CR 92A-FRONT/RIGHT RAIL GUIDE SUPPORT (On MULLION)-ST2 | 1    |
| 108 | S24AD30A0003 | CR 92/CR 92A - UPPER BOARD FOR HINGES-ST2                    | 1    |